INDEX TO VOLUME 58

Author index*

A

Adisman IK. Louis S. Block. 1987;58:265 (Obituary)
Agerberg G. Longitudinal variation of maximal mandibular mobility: an intraindividual study. 1987;58:370-3
Ali M (*see* Rieger et al). 1987;58:305-8
Al-Rubayi A (*see* Bauer and Al-Rubayi). 1987;58:584-9
Araki CT (*see* Araki and Araki). 1987;58:96-100
—— (*see* Araki and Araki). 1987;58:218-21
Araki NG, Araki CT. Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support. 1987;58:218-21
——, ——. Head angulation and variations in the maxillomandibular relationship. Part I: the effects on the vertical dimension of occlusion. 1987;58:96-100
Azarbal M (*see* Fernandes et al). 1987;58:466-70

B

Babu CLS, Singh S, Rao SN. Determination of vertical dimension of rest: a comparative study. 1987;58:238-45
Baharav H (*see* Helft et al). 1987;58:647-9
Baima RF. Considerations for furcation treatment. Part III: restorative therapy. 1987;58:145-7
Balciunas BA, Staling LM, Parente FJ. Quantitative electromyographic response to therapy for myo-oral facial pain: a pilot study. 1987;58:366-9
Baldauf KW. An easy method of extraoral heat application. 1987;58:526 (Tips)
——. A simplified method of rubber dam placement. 1987;58:256 (Tips)
——. Use of anesthetic warming device to maintain light-cured composite at mouth temperature. 1987;58:123 (Tips)
Ballard GT (*see* Blank et al). 1987;58:590-5
Balshi TJ. Preventive durapatite ridge augmentation for esthetic fixed prosthodontics. 1987;58:266-70
Barco MT Jr, Dembert ML. Cast aluminum denture base. 1987;58:179-86
Barnett BG, Krump JL. Implant dentistry: the significance of a team approach. 1987;58:69-73
Bauer JG. Contour of class V composite restorations. 1987;58:8-12
——, Al-Rubayi A. Tissue response to direct filling materials. 1987;58:584-9
Baumgardner KR, Shernoff AF, Gelles JHW. A bifurcated ceramometal crown. 1987;58:658 (Tips)
Bayne SC (*see* Felton et al). 1987;58:677-86
Beaumont AJ Jr. Limited esthetic try-in for some immediate dentures. 1987;58:655-6
Becerra G, MacEntee M. A classification of precision attachments. 1987;58:322-7
Belfiglio EJ. Using metal bases in making complete dentures. 1987;58:314-7
Beltran J (*see* Laurell et al). 1987;58:83-9
—— (*see* Laurell et al). 1987;58:211-8
—— (*see* Laurell et al). 1987;58:355-9
Ben-Amar A, Metzger Z, Gontar G. Cavity design for class II composite restorations. 1987;58:5-8
Bergendal T (*see* Lundgren et al). 1987;58:197-203
Bergman B. Periodontal reactions related to removable partial dentures: a literature review. 1987;58:454-8
Bertelli E (*see* Ferrari et al). 1987;58:106-10
Berweger R (*see* Curcio et al). 1987;58:379-83
Binkley C (*see* Binkley and Binkley). 1987;58:53-6
Binkley TK, Binkley C. Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction. 1987;58:53-6
Birnbach S, Herman GL. Coordinated intraoral and extraoral prostheses in the rehabilitation of the orofacial cancer patient. 1987;58:343-8
Blank RP, Diehl HA, Ballard GT, Melendez RC. Calcium metabolism and osteoporotic ridge resorption: a protein connection. 1987;58:590-5
Blosser RL (*see* O'Sullivan et al). 1987;58:171-5
Borggreven JMPM (*see* Dippel et al). 1987;58:166-70
Boylan RJ, Goldstein GR, Schulman A. Evaluation of an ultraviolet disinfection unit. 1987;58:650-4
Brandal JL, Nicholls JI, Harrington GW. A comparison of three restorative techniques for endodontically treated anterior teeth. 1987;58:161-5
Breeding LC, Dixon D, Caughman WF. An articulator and surveyor remount technique for surveyed abutment crowns. 1987;58:708-10
—— (*see* Caughman et al). 1987;58:48-9
Brose MO (*see* Rieger et al). 1987;58:305-8
—— (*see* Tanquist and Brose). 1987;58:395 (Letter reply)
Brown DT, Desjardins RP, Chao EYS. Fatigue failure in acrylic resin retaining minor connectors. 1987;58:329-35
Brown FH (*see* Schmitt and Brown). 1987;58:140-5
Bruggers H (*see* Bruggers and Bruggers). 1987;58:270-3
Bruggers KJ, Bruggers H. Internal venting of castings to improve marginal seal and retention of castings. 1987;58:270-3
Brukl CE, Philp GK. The fit of molded all-ceramic, twin foil, and conventional ceramic crowns. 1987;58:408-13
—— (*see* Sobieralski et al). 1987;58:35-42
Burch JG (*see* Koidis et al). 1987;58:110-8
Bush FM. Tinnitus and otalgia in temporomandibular disorders. 1987;58:495-8

C

Cagidiaco MC (*see* Ferrari et al). 1987;58:106-10
Calverley MJ, Moergeli JR Jr. Effect of the fit of removable partial denture frameworks when master casts are treated with cyanoacrylate resin. 1987;58:327-9
Caputo AA (*see* Highton et al). 1987;58:157-61
—— (*see* Seto and Caputo). 1987;58:458-62
Cardash HS (*see* Helft et al). 1987;58:647-9
Carr L (*see* Ristic and Carr). 1987;58:689-93
Caughman WF, Smith CD, Breeding LC. A double-mix cementation for improved esthetics of resin-bonded prostheses. 1987;58:48-9
—— (*see* Breeding et al). 1987;58:708-10
Chan CA (*see* Tjan and Chan). 1987;58:559-63
Chan C-C, Chan KC. The retentive strength of slots with different width and depth versus pins. 1987;58:552-7
Chan KC (*see* Chan and Chan). 1987;58:552-7
Chao EYS (*see* Brown et al). 1987;58:329-35
Chou T-M, Pameijer CH. An investigation of the reproducibility of articulators. 1987;58:442-8
Clark AE (*see* Stanley et al). 1987;58:607-13
Cohen B (*see* Doukoudakis et al). 1987;58:421-3
Cohen HR (*see* Ross et al). 1987;58:360-6
Colaizzi F (*see* Stanley et al). 1987;58:607-13
Consani S (*see* Lovadino et al). 1987;58:284-6
Coogan MM (*see* Fouché et al). 1987;58:63-8
Crim GA, Shay JS. Microleakage pattern of a resin-veneered glass-ionomer cavity liner. 1987;58:273-6
Cueva L (*see* Harkins et al). 1987;58:623-5

*July, 1-132; August, 133-264; September, 265-402; October, 403-534; November, 535-668; December, 669-800.

Cunningham R (*see* Laurell et al). 1987;58:83-9
—— (*see* Laurell et al). 1987;58:211-8
—— (*see* Laurell et al). 1987;58:355-9
Curcio FB, Tackney VM, Berweger R. Transcutaneous electrical nerve stimulation in dentistry: a report of a double-blind study. 1987;58:379-83
Curtin HD (*see* Fernandes et al). 1987;58:466-70
Curtis DA, Wachtel HC. Limitations of semiadjustable articulators. Part II: straight line articulators with provision for immediate side shift. 1987;58:569-73
—— (*see* Wachtel and Curtis). 1987;58:438-42

D

Davis DR. Limiting wax pattern distortion caused by setting expansion. 1987;58:229-34
Deane ERI (*see* Rosenstiel and Deane). 1987;58:574-8
De Clercq M (*see* Theuriers and De Clercq). 1987;58:545-52
DeMasi V (*see* Rosenstein et al). 1987;58:617-9
Dembert ML (*see* Barco and Dembert). 1987;58:179-86
Desjardins RP (*see* Brown et al). 1987;58:329-35
de Vries J, de Wet FA, Eick JD. Polishing dental amalgam restorations. 1987;58:148-52
de Wet FA (*see* de Vries et al). 1987;58:148-52
Dhuru V (*see* Hassan et al). 1987;58:153-6
Diehl HA (*see* Blank et al). 1987;58:590-5
Dippel HW, Borggreven JMPM, Hoppenbrouwers PMM. The sealing capacity of intermediary base materials. 1987;58:166-70
Dixon D (*see* Breeding et al). 1987;58:708-10
Doukoudakis A, Cohen B, Tsoutsos A. A new chemical method for etching metal frameworks of the acid-etched prosthesis. 1987;58:421-3
Doundoulakis JH. Surface analysis of titanium after sterilization: role in implant-tissue interface and bioadhesion. 1987;58:471-8
Drum R, Litt M. Spectral analysis of temporomandibular joint sounds. 1987;58:485-94
Dwan JJ (*see* Merchant et al). 1987;58:276-80

E

Ecker GA, Moser JB. Visual and instrumental discrimination steps between two adjacent porcelain shades. 1987;58:286-91
Edmonds DC (*see* Fattore and Edmonds). 1987;58:203-5
Eggleston DW, Nylander M. Correlation of dental amalgam with mercury in brain tissue. 1987;58:704-7
Ehrlich J (*see* Hochman et al). 1987;58:542-5
Eick JD (*see* de Vries et al). 1987;58:148-52
El-Gheriani AS, Winstanley RB. The Gothic arch (needle point) tracing and condylar inclination. 1987;58:638-42
Eli I (*see* Fitzig and Eli). 1987;58:558-9
Engelmeier RL. Autoclavable custom-made metal impression trays to improve infection control. 1987;58:121-2
——. Patient alignment device for cobalt-60 radiation therapy. 1987;58:620-2
Eshelman EG Jr. A method to remove a fixed partial denture. 1987;58:123-4 (Tips)
Eslami A (*see* Fayz et al). 1987;58:317-22
Espinoza O (*see* Langenwalter et al). 1987;58:246-8
Evans JG (*see* Pinnell et al). 1987;58:50-2

F

Falk H (*see* Lundgren et al). 1987;58:197-203
Fattore L, Edmonds DC. A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss. 1987;58:203-5
—— (*see* Rosenstein et al). 1987;58:617-9
Fayz F, Eslami A, Graser GN. Use of anterior teeth measurements in determining occlusal vertical dimension. 1987;58:317-22
Felton DA, Kanoy BE, White JT. The effect of surface roughness of crown preparations on retention of cemented castings. 1987;58:292-6
——, ——, ——. Recementation of dental castings with zinc phosphate cement: effect on cement bond strength. 1987;58:579-83
——, ——, ——, Bayne SC. Porcelain-fused-to-metal surface oxidation effects on cemented casting retention. 1987;58:677-86
Fenn JP (*see* Powell et al). 1987;58:280-3
Fernandes RJ, Azarbal M, Ismail YH, Curtin HD. A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible. 1987;58:466-70
Ferrari M, Cagidiaco MC, Bertelli E. Anatomic guide for reduction of enamel for acid-etched retainers. 1987;58:106-10
——. 1987;58:662 (Letter reply)
Fine L (*see* Karnell et al). 1987;58:479-84
—— (*see* Rosenstein et al). 1987;58:617-9
Fitzig S, Eli I. Repair of an overcontoured cemented crown. 1987;58:558-9
Flinton RJ (*see* Sansom et al). 1987;58:57-62
Fouché MH, Slabbert JCG, Coogan MM. Bacterial antibodies in patients undergoing treatment for denture stomatitis. 1987;58:63-8
Fricton JR, Schiffman EL. The craniomandibular index: validity. 1987;58:222-8
Friedman N, Landesman HM, Wexler M. The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I. 1987;58:687-9

G

Garcia LT, Janosek JP. Aid to a stable centric relation record. 1987;58:526 (Tips)
Gardner FM (*see* Vermilyea et al). 1987;58:429-31
Geering AH (*see* Kotowicz and Geering). 1987;58:254-5 (Tips)
Gegauff AG, Pryor HG. Fracture toughness of provisional resins for fixed prosthodontics. 1987;58:23-9
Gelles JHW, Shernoff AF. A hygienic acid-etch splint to prevent extrusion. 1987;58:394 (Tips)
—— (*see* Baumgardner et al). 1987;58:658 (Tips)
Gerberich WW (*see* Hammad et al). 1987;58:431-7
Ginio I (*see* Hochman et al). 1987;58:542-5
Glassman AH (*see* LaBell and Glassman). 1987;58:393 (Tips)
Goldfogel MH (*see* Small et al). 1987;58:403-8
Goldstein GR (*see* Boylan et al). 1987;58:650-4
Golec TS (*see* Kay et al). 1987;58:339-43
Gontar G (*see* Ben-Amar et al). 1987;58:5-8
Goodacre CJ. A dislodged and swallowed unilateral removable partial denture. 1987;58:124-5 (Tips)
Goodkind RJ, Schwabacher WB. Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth. 1987;58:535-42
—— (*see* Hammad et al). 1987;58:431-7
Grant BE (*see* Tjan et al). 1987;58:417-21
Graser GN (*see* Fayz et al). 1987;58:317-22
Greenwood LF. Is temporomandibular joint dysfunction associated with generalized joint hypermobility? 1987;58:701-3
Greer D (*see* Scott and Greer). 1987;58:384-7
Greive JH (*see* Tjan et al). 1987;58:309-13
Gunderson RB, Parker MH. An alternative technique for location of the hinge axis. 1987;58:448-50

H

Hall MB (*see* Stanley et al). 1987;58:607-13
Hammad IA, Goodkind RJ, Gerberich WW. A shear test for the bond strength of ceramometals. 1987;58:431-7
Harkins SJ, Marteney JL, Cueva L. A simple technique for the distraction and mobilization of the temporomandibular joint condyle in nonreducing disk derangements. 1987;58:623-5
Harrington GW (*see* Brandal et al). 1987;58:161-5
Hassan K, Mante F, List G, Dhuru V. A modified incremental filling technique for class II composite restorations. 1987;58:153-6
Helft M, Pilo R, Cardash HS, Baharav H. Reliability of ratings in evaluation of crowns. 1987;58:647-9
Henderson CW, Schwartz RS, Herbold ET, Mayhew RB. Evaluation of the barrier system, an infection control system for the dental laboratory. 1987;58:517-21
Henry PJ. An alternative method for the production of accurate casts and occlusal records in osseointegrated implant rehabilitation. 1987;58:694-7
Herbold ET (*see* Henderson et al). 1987;58:517-21
Herman GL (*see* Birnbach and Herman). 1987;58:343-8
Herrera SP (*see* Merchant et al). 1987;58:276-80
Hicks MJ (*see* Small et al). 1987;58:403-8

Highton R, Caputo AA, Mátyás J. A photoelastic study of stresses on porcelain laminate preparations. 1987;58:157-61
Hochman N, Ginio I, Ehrlich J. The cantilever fixed partial denture: a 10-year follow-up. 1987;58:542-5
Hood JAA (*see* Salis et al). 1987;58:43-8
Hoppenbrouwers PMM (*see* Dippel et al). 1987;58:166-70
Hudzinski LG, Walters PJ. Use of a portable electromyogram integrator and biofeedback unit in the treatment of chronic nocturnal bruxism. 1987;58:698-701

I

Ismail YH (*see* Fernandes et al). 1987;58:466-70

J

Janosek JP (*see* Garcia and Janosek). 1987;58:526 (Tips)
Johnson PF (*see* O'Sullivan et al). 1987;58:171-5
Jones JD (*see* Schelb et al). 1987;58:19-22
Jordan RD (*see* Langenwalter et al). 1987;58:246-8
—— (*see* White and Jordan). 1987;58:711-2 (Tips)

K

Kabcenell JL (*see* Rich and Kabcenell). 1987;58:451-4
Kanoy BE (*see* Felton et al). 1987;58:292-6
—— (*see* Felton et al). 1987;58:579-83
—— (*see* Felton et al). 1987;58:677-86
Kapur KK. Veterans Administration Cooperative Dental Implant Study—comparisons between fixed partial dentures supported by blade-vent implants and removable partial dentures. Part I: methodology and comparisons between treatment groups at baseline. 1987;4:499-512
Karnell MP, Rosenstein H, Fine L. Nasal videoendoscopy in prosthetic management of palatopharyngeal dysfunction. 1987;58: 479-84
Kay JF, Golec TS, Riley RL. Hydroxyapatite-coated subperiosteal dental implants: design rationale and clinical experience. 1987; 58:339-43
Khayat PG, Nicholls JI. Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy. 1987;58:563-9
Kingman A (*see* Sansom et al). 1987;58:57-62
Kirk EEJ (*see* Salis et al). 1987;58:43-8
Koidis PT, Zmuidzinas SV, Burch JG. A standardized system for evoking masseteric silent periods with decreased variance. 1987; 58:110-8
Kotowicz WE, Geering AH. Patient remount of an occlusal splint. 1987;58:254-5 (Tips)
Kraus SL (*see* Root et al). 1987;58:90-5
Krump JL (*see* Barnett and Krump). 1987;58:69-73

L

LaBell TL, Glassman AH. An aid for swing-lock partial denture removal. 1987;58:393 (Tips)
Landesman HM (*see* Friedman et al). 1987;58:687-9
Langenwalter EM, Jordan RD, Espinoza O. Fabrication of a provisional complete denture. 1987;58:246-8
Latta GH Jr (*see* Pinnell et al). 1987;58:50-2
Laurell KA, Tootle R, Cunningham R, Beltran J, Simon D. Magnetic resonance imaging of the temporomandibular joint. Part I: literature review. 1987;58:83-9
——, ——, ——, ——, ——. Magnetic resonance imaging of the temporomandibular joint. Part II: comparison with laminographic, autopsy, and histologic findings. 1987;58:211-8
——, ——, ——, ——, ——. Magnetic resonance imaging of the temporomandibular joint. Part III: use of a cephalostat for clinical imaging. 1987;58:355-9
Laurell L, Lundgren D. Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses. 1987;58:626-32
—— (*see* Lundgren et al). 1987;58:197-203
LeBon SS. 1987;58:395 (Letter)
Leempoel PJB, Lemmens PhLM, Snoek PA, van't Hof MA. The convergence angle of tooth preparations for complete crowns. 1987; 58:414-6
Leinbach TE. Prosthetic treatment of malocclusion in patients with muscular dystrophy. 1987;58:604-6
Leinfelder KF (*see* Taleghani et al). 1987;58:424-8
Lemmens PhLM (*see* Leempoel et al). 1987;58:414-6
Li S-H (*see* O'Sullivan et al). 1987;58:171-5
Libin BM. The cranial mechanism: its relationship to cranial-mandibular function. 1987;58:632-8
List G (*see* Hassan et al). 1987;58:153-6
Litt M (*see* Drum and Litt). 1987;58:485-94
Lovadino JR, Ruhnke LA, Consani S. Influence of burnishing on amalgam adaptation to cavity walls. 1987;58:284-6
Lowe JA (*see* Oliva and Lowe). 1987;58:29-35
Lundgren D, Laurell L, Falk H, Bergendal T. Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants. 1987;58:197-203
—— (*see* Laurell and Lundgren). 1987;58:626-32

M

MacEntee M (*see* Becerra and MacEntee). 1987;58:322-7
Mante F (*see* Hassan et al). 1987;58:153-6
Marteney JL (*see* Harkins et al). 1987;58:623-5
Mátyás J (*see* Highton et al). 1987;58:157-61
Mayhew RB (*see* Henderson et al). 1987;58:517-21
Mazzocco CV (*see* Schelb et al). 1987;58:19-22
Melendez RC (*see* Blank et al). 1987;58:590-5
Merchant VA, Herrera SP, Dwan JJ. Marginal fit of cast gold MO inlays from disinfected elastomeric impressions. 1987;58:276-80
Metzger Z (*see* Ben-Amar et al). 1987;58:5-8
Miller EG, Perry WL, Wagner MJ. Prevalence of mercury hypersensitivity in dental students. 1987;58:235-7
Minagi S, Tsunoda T, Yoshida K, Tsuru H. Objective testing of the efficiency of denture-cleansing agents. 1987;58:595-8
——, Yano N, Yoshida K, Tsuru H. Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials. 1987;58:462-5
Mitchell DL (*see* Myers and Mitchell). 1987;58:659 (Tips)
Moergeli JR Jr (*see* Calverley and Moergeli). 1987;58:327-9
—— (*see* Vermilyea et al). 1987;58:429-31
Monaghan P. Fabrication of a semirigid custom cementation aid. 1987;58:388-9
Morikawa M, Toyoda M, Toyoda S. Prosthetic management of postsurgical fistulas in patients with cleft lip and palate. 1987; 58:614-6
Morris HF. Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys. 1987;58:1-5
Moser JB (*see* Ecker and Moser). 1987;58:286-91
Murchison DG (*see* Schwartz and Murchison). 1987;58:336-8
Myers RE, Mitchell DL. Technique for fabricating an oral radiation positioner. 1987;58:659 (Tips)

N

Netti CA (*see* Yard et al). 1987;58:711 (Tips)
Nicholls JI (*see* Brandal et al). 1987;58:161-5
—— (*see* Khayat and Nicholls). 1987;58:563-9
—— (*see* Shue et al). 1987;58:297-305
Norling BK (*see* Seely et al). 1987;58:186-94
Nylander M (*see* Eggleston and Nylander). 1987;58:704-7

O

Oliva RA, Lowe JA. Effect of die spacer on the seating of cast restorations on composite core preparations. 1987;58:29-35
Omar R. Scanning electron microscopy of the marginal fit of ceramo-metal restorations with facially butted porcelain margins. 1987;58: 13-9
O'Sullivan BP, Johnson PF, Blosser RL, Rupp NW, Li S-H. Bond strength of a luting composite to dentin with different bonding systems. 1987;58:171-5

P

Pameijer CH (*see* Chou and Pameijer). 1987;58:442-8
Parente FJ (*see* Balciunas et al). 1987;58:366-9
Parker MH (*see* Gunderson and Parker). 1987;58:448-50
Parks VJ (*see* Sansom et al). 1987;58:57-62

Pelleu GB Jr (*see* Sansom et al). 1987;58:57-62
Perry WL (*see* Miller et al). 1987;58:235-7
Philp GK (*see* Brukl and Philp). 1987;58:408-13
Pilo R (*see* Helft et al). 1987;58:647-9
Pinnell DC, Latta GH Jr, Evans JG. Light-cured porcelain margins: a new technique. 1987;58:50-2
Powell GL, Fenn JP, Runnells R. Hydrocolloid conditioning units: a potential source of bacterial cross contamination. 1987;58:280-3
Prihoda T (*see* Schelb et al). 1987;58:19-22
Pryor HG (*see* Gegauff and Pryor). 1987;58:23-9

R

Rao SN (*see* Babu et al). 1987;58:238-45
Razook SJ (*see* Root et al). 1987;58:90-5
Rekow D. Computer-aided design and manufacturing in dentistry: a review of the state of the art. 1987;58:512-6
Render PJ (*see* Yard et al). 1987;58:711 (Tips)
Rich BM, Kabcenell JL. A new clinical approach to the problem denture patient. 1987;58:451-4
Rieger MR, Tanquist RA, Brose MO, Ali M. Measuring the thickness of a paint-on die spacer. 1987;58:305-8
Riley RL (*see* Kay et al). 1987;58:339-43
Rissin L. How the law affects the dentist. 1987;58:101-6
Ristic B, Carr L. Water sorption by denture acrylic resin and consequent changes in vertical dimension. 1987;58:689-93
Rochette AL. 1987;58:662 (Letter)
Root GR, Kraus SL, Razook SJ, Samson GS. Effect of an intraoral splint on head and neck posture. 1987;58:90-5
Rosenstein HE, DeMasi V, Fine L, Fattore L. Radiation carrier for treatment of nasopharyngeal carcinomas. 1987;58:617-9
—— (*see* Karnell et al). 1987;58:479-84
Rosenstiel SF, Deane ERI. A handpiece-mounted electronic axial alignment indicator. 1987;58:574-8
Ross S, Cohen HR, Rubenstein HS. Indications for computerized tomography in the assessment and therapy of commonly misdiagnosed internal derangements of the temporomandibular joint. 1987;58:360-6
Rubenstein HS (*see* Ross et al). 1987;58:360-6
Ruffino A (*see* Stameisen and Ruffino). 1987;58:119-20
Ruhnke LA (*see* Lovadino et al). 1987;58:284-6
Runnells R (*see* Powell et al). 1987;58:280-3
Rupp NW (*see* O'Sullivan et al). 1987;58:171-5

S

Salis SG, Hood JAA, Kirk EEJ, Stokes ANS. Impact-fracture energy of human premolar teeth. 1987;58:43-8
Samson GS (*see* Root et al). 1987;58:90-5
Sansom BP, Flinton RJ, Parks VJ, Pelleu GB Jr, Kingman A. Rest seat designs for inclined posterior abutments: a photoelastic comparison. 1987;58:57-62
Sato M (*see* Sato et al). 1987;58:206-10
Sato Y, Sato M, Yoshida K, Tsuru H. Palatal lift prostheses for edentulous patients. 1987;58:206-10
Schelb E, Mazzocco CV, Jones JD, Prihoda T. Compatibility of type IV dental stones with polyvinyl siloxane impression materials. 1987;58:19-22
Schiffman EL (*see* Fricton and Schiffman). 1987;58:222-8
Schmitt SM, Brown FH. The hemisected mandibular molar: a strategic abutment. 1987;58:140-5
Schneider RL. Evaluation of the retention of castings to endosseous dental implants. 1987;58:73-8
——. Significance of abutment tooth angle of gingival convergence on removable partial denture retention. 1987;58:194-6
Schulman A (*see* Boylan et al). 1987;58:650-4
Schwabacher WB (*see* Goodkind and Schwabacher). 1987;58:535-42
Schwartz RS, Murchison DG. Design variations of the rotational path removable partial denture. 1987;58:336-8
—— (*see* Henderson et al). 1987;58:517-21
Schweiger JW. Oral complications following radiation therapy: a five-year retrospective report. 1987;58:78-82
Scott L, Greer D. The effect of an air polishing device on sealant bond strength. 1987;58:384-7
Seely PW, Windeler SE, Norling BK. An investigation of shear bond strengths of various resin-bonded inner surface rest seat designs for removable partial dentures. 1987;58:186-94
Seto BG, Caputo AA. Bond strength of etched-metal resin-bonded cingulum rest seats. 1987;58:458-62
Shay JS (*see* Crim and Shay). 1987;58:273-6
Shernoff AF (*see* Baumgardner et al). 1987;58:658 (Tips)
—— (*see* Gelles and Shernoff). 1987;58:394 (Tips)
Shifman A. Selective-pressure impression technique for nasal prostheses. 1987;58:349-51
Shue S-L, Nicholls JI, Townsend JD. The effect of metal retentive designs on resin veneer retention. 1987;58:297-305
Simon D (*see* Laurell et al). 1987;58:83-9
—— (*see* Laurell et al). 1987;58:211-8
—— (*see* Laurell et al). 1987;58:355-9
Singh S (*see* Babu et al). 1987;58:238-45
Slabbert JCG (*see* Fouché et al). 1987;58:63-8
Small KL, Goldfogel MH, Hicks MJ. Marginal finishing for cast gold restorations: reciprocal-action instrumentation. 1987;58:403-8
Smith CD (*see* Caughman et al). 1987;58:48-9
Smith NK (*see* Sobieralski et al). 1987;58:35-42
Snoek PA (*see* Leempoel et al). 1987;58:414-6
Sobieralski JA, Brukl CE, Smith NK. Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints. 1987;58:35-42
Sorensen JA, Torres TJ. Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination. 1987;58:133-9
——, ——. Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication. 1987;58:669-77
Spratley MH. An investigation of the adhesion of acrylic resin teeth to dentures. 1987;58:389-92
Staling LM (*see* Balciunas et al). 1987;58:366-9
Stameisen AE, Ruffino A. Replacement of lost or broken denture teeth with composites. 1987;58:119-20
Stanley HR, Hall MB, Colaizzi F, Clark AE. Residual alveolar ridge maintenance with a new endosseous implant material. 1987;58:607-13
Stevenson RB. Marking dentures for identification. 1987;58:255 (Tips)
Stipho AS (*see* Stipho and Stipho). 1987;58:249-53
Stipho HD, Stipho AS. Effectiveness and durability of repaired acrylic resin joints. 1987;58:249-53
Stokes AN. Porous metal coating to enhance retention of a Rochette prosthesis. 1987;58:657
—— (*see* Salis et al). 1987;58:43-8

T

Tackney VM (*see* Curcio et al). 1987;58:379-83
Taleghani AM (*see* Taleghani et al). 1987;58:424-8
Taleghani M, Leinfelder KF, Taleghani AM. An alternative to cast etched retainers. 1987;58:424-8
Tanquist RA, Brose MO. 1987;58:395 (Letter reply)
—— (*see* Rieger et al). 1987;58:305-8
Theuniers G, De Clercq M. Finishing procedures for the preparation of crown margins. 1987;58:545-52
Tjan AH (*see* Tjan et al). 1987;58:309-13
—— (*see* Tjan et al). 1987;58:417-21
Tjan AHL, Chan CA. Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites. 1987;58:559-63
——, Tjan AH, Grant BE. Marginal accuracy of temporary composite crowns. 1987;58:417-21
——, ——, Greive JH. Effects of various cementation methods on the retention of prefabricated posts. 1987;58:309-13
——, Whang SB. Comparing effects of tray treatment on the accuracy of dies. 1987;58:175-8
Tootle R (*see* Laurell et al). 1987;58:83-9
—— (*see* Laurell et al). 1987;58:211-8
—— (*see* Laurell et al). 1987;58:355-9
Torres TJ (*see* Sorensen and Torres). 1987;58:133-9
—— (*see* Sorensen and Torres). 1987;58:669-77
Townsend JD (*see* Shue et al). 1987;58:297-305
Toyoda M (*see* Morikawa et al). 1987;58:614-6

Toyoda S (*see* Morikawa et al). 1987;58:614-6
Tsoutsos A (*see* Doukoudakis et al). 1987;58:421-3
Tsunoda T (*see* Minagi et al). 1987;58:595-8
Tsuru H (*see* Minagi et al). 1987;58:462-5
—— (*see* Minagi et al). 1987;58:595-8
—— (*see* Sato et al). 1987;58:206-10

U

Udagama A. Urethane-lined silicone facial prostheses. 1987;58: 351-4

V

van't Hof MA (*see* Leempoel et al). 1987;58:414-6
Vermilyea SG, Gardner FM, Moergeli JR Jr. Composite dowels and cores: effect of moisture on the fit of cast restorations. 1987;58: 429-31

W

Wachtel HC, Curtis DA. Limitations of semiadjustable articulators. Part I: straight line articulators without setting for immediate side shift. 1987;58:438-42
—— (*see* Curtis and Wachtel). 1987;58:569-73
Wagner AG. A temporary replacement for an existing complete denture. 1987;58:522-5
Wagner MJ (*see* Miller et al). 1987;58:235-7
Waldman HB. The edentulous population: its use and need of dental services. 1987;58:643-6
Walters PJ (*see* Hudzinski and Walters). 1987;58:698-701
Watson CJ. Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection. 1987;58:599-604
——. A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft. 1987;58:374-9
Wexler M (*see* Friedman et al). 1987;58:687-9
Whang SB (*see* Tjan and Whang). 1987;58:175-8
White JT, Jordan RD. Infection control during elastomeric impressions. 1987;58:711-2 (Tips)
—— (*see* Felton et al). 1987;58:292-6
—— (*see* Felton et al). 1987;58:579-83
—— (*see* Felton et al). 1987;58:677-86
Windeler SE (*see* Seely et al). 1987;58:186-94
Winstanley RB (*see* El-Gheriani and Winstanley). 1987;58:638-42

Y

Yano N (*see* Minagi et al). 1987;58:462-5
Yard RA, Netti CA, Render PJ. Dental implant night guard. 1987;58:711 (Tips)
Yoshida K (*see* Minagi et al). 1987;58:462-5
—— (*see* Minagi et al). 1987;58:595-8
—— (*see* Sato et al). 1987;58:206-10

Z

Zmuidzinas SV (*see* Koidis et al). 1987;58:110-8

Subject index*

A

Abutment
An articulator and surveyor remount technique for surveyed abutment crowns (Breeding et al). 1987;58:708-10
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Rest seat designs for inclined posterior abutments: a photoelastic comparison (Sansom et al). 1987;58:57-62
Significance of abutment tooth angle of gingival convergence on removable partial denture retention (Schneider). 1987;58:194-6

Acid-etch
Anatomic guide for reduction of enamel for acid-etched retainers (Ferrari et al). 1987;58:106-10
A hygienic acid-etch splint to prevent extrusion (Gelles and Shernoff). 1987;58:394 (Tips)
A new chemical method for etching metal frameworks of the acid-etched prosthesis (Doukoudakis et al). 1987;58:421-3

Acquired immunodeficiency syndrome
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5

Acrylic resin; *see also* **Resin**
Effectiveness and durability of repaired acrylic resin joints (Stipho and Stipho). 1987;58:249-53
Fatigue failure in acrylic resin retaining minor connectors (Brown et al). 1987;58:329-35
An investigation of the adhesion of acrylic resin teeth to dentures (Spratley). 1987;58:389-92
Water sorption by denture acrylic resin and consequent changes in vertical dimension (Ristic and Carr). 1987;58:689-93

Adhesive; *see also* **Bond, Cement**
Comparing effects of tray treatment on the accuracy of dies (Tjan and Whang). 1987;58:175-8
An investigation of the adhesion of acrylic resin teeth to dentures (Spratley). 1987;58:389-92

AIDS *see* **Acquired immunodeficiency syndrome**

Air polishing
The effect of an air polishing device on sealant bond strength (Scott and Greer). 1987;58:384-7

Alignment
A handpiece-mounted electronic axial alignment indicator (Rosenstiel and Deane). 1987;58:574-8
Patient alignment device for cobalt-60 radiation therapy (Engelmeier). 1987;58:620-2

Allergy
Prevalence of mercury hypersensitivity in dental students (Miller et al). 1987;58:235-7

Alloy
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5

Aluminum
Cast aluminum denture base (Barco and Dembert). 1987;58:179-86

Alveolar ridge; *see also* **Ridge**
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13

Amalgam
Correlation of dental amalgam with mercury in brain tissue (Eggleston and Nylander). 1987;58:704-7
Influence of burnishing on amalgam adaptation to cavity walls (Lovadino et al). 1987;58:284-6
Polishing dental amalgam restorations (de Vries et al). 1987;58:148-52

Anatomic guide
Anatomic guide for reduction of enamel for acid-etched retainers (Ferrari et al). 1987;58:106-10

Anesthetic warming device
Use of anesthetic warming device to maintain light-cured composite at mouth temperature (Baldauf). 1987;58:123 (Tips)

Anterior maxillary defect
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5

Anterior tooth
A comparison of three restorative techniques for endodontically treated anterior teeth (Brandal et al). 1987;58:161-5
Use of anterior teeth measurements in determining occlusal vertical dimension (Fayz et al). 1987;58:317-22
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58:535-42

Anterior vestibuloplasty
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9

Antibody
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8

Anxiety
The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I (Friedman et al). 1987;58:687-9

Articulator
An articulator and surveyor remount technique for surveyed abutment crowns (Breeding et al). 1987;58:708-10
An investigation of the reproducibility of articulators (Chou and Pameijer). 1987;58:442-8
Limitations of semiadjustable articulators. Part I: straight line articulators without setting for immediate side shift (Wachtel and Curtis). 1987;58:438-42
Limitations of semiadjustable articulators. Part II: straight line articulators with provision for immediate side shift (Curtis and Wachtel). 1987;58:569-73

Attachment
A classification of precision attachments (Becerra and MacEntee). 1987;58:322-7

Autoclave
Autoclavable custom-made metal impression trays to improve infection control (Engelmeier). 1987;58:121-2

Axis
An alternative technique for location of the hinge axis (Gunderson and Parker). 1987;58:448-50

*July, 1-132; August, 133-264; September, 265-402; October, 403-534; November, 535-668; December, 669-800.

B

Bacteria; *see also* **Infection**
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Hydrocolloid conditioning units: a potential source of bacterial cross contamination (Powell et al). 1987;58:280-3
Barrier system
Evaluation of the barrier system, an infection control system for the dental laboratory (Henderson et al). 1987;58:517-21
Base material
Cast aluminum denture base (Barco and Dembert). 1987;58:179-86
The sealing capacity of intermediary base materials (Dippel et al). 1987;58:166-70
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Using metal bases in making complete dentures (Belfiglio). 1987;58:314-7
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Beryllium
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Bifurcated ceramometal crown
A bifurcated ceramometal crown (Baumgardner et al). 1987;58:658 (Tips)
Bioadhesion
Surface analysis of titanium after sterilization: role in implant-tissue interface and bioadhesion (Doundoulakis). 1987;58:471-8
Biocompatibility
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Biofeedback
Determination of vertical dimension of rest: a comparative study (Babu et al). 1987;58:238-45
Use of a portable electromyogram integrator and biofeedback unit in the treatment of chronic nocturnal bruxism (Hudzinski and Walters). 1987;58:698-701
Bioglass implant
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13
Biting force
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
Blade-vent implant
Veterans Administration Cooperative Dental Implant Study—comparisons between fixed partial dentures supported by blade-vent implants and removable partial dentures. Part I: methodology and comparisons between treatment groups at baseline (Kapur). 1987;58:499-512
Bond
Anatomic guide for reduction of enamel for acid-etched retainers (Ferrari et al). 1987;58:106-10
Bond strength of a luting composite to dentin with different bonding systems (O'Sullivan et al). 1987;58:171-5
Bond strength of etched-metal resin-bonded cingulum rest seats (Seto and Caputo). 1987;58:458-62
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
The effect of an air polishing device on sealant bond strength (Scott and Greer). 1987;58:384-7
An investigation of shear bond strengths of various resin-bonded inner surface rest seat designs for removable partial dentures (Seely et al). 1987;58:186-94
Recementation of dental castings with zinc phosphate cement: effect on cement bond strength (Felton et al). 1987;58:579-83
A shear test for the bond strength of ceramometals (Hammad et al). 1987;58:431-7
Book reviews
Book reviews. 1987;58:257, 660-1
Brain
Correlation of dental amalgam with mercury in brain tissue (Eggleston and Nylander). 1987;58:704-7
Bruxism
Use of a portable electromyogram integrator and biofeedback unit in the treatment of chronic nocturnal bruxism (Hudzinski and Walters). 1987;58:698-701
Buccolingual surface
A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible (Fernandes et al). 1987;58:466-70
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
Burnishing
Influence of burnishing on amalgam adaptation to cavity walls (Lovadino et al). 1987;58:284-6

C

Calcium
Calcium metabolism and osteoporotic ridge resorption: a protein connection (Blank et al). 1987;58:590-5
Candida albicans
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Cantilever prosthesis
The cantilever fixed partial denture: a 10-year follow-up (Hochman et al). 1987;58:542-5
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
Carcinoma
Coordinated intraoral and extraoral prostheses in the rehabilitation of the orofacial cancer patient (Birnbach and Herman). 1987;58:343-8
Radiation carrier for treatment of nasopharyngeal carcinomas (Rosenstein et al). 1987;58:617-9
Urethane-lined silicone facial prosthesis (Udagama). 1987;58:351-4
Cast; *see also* **Cast restoration; Cast retainer**
An alternative method for the production of accurate casts and occlusal records in osseointegrated implant rehabilitation (Henry). 1987;58:694-7
An articulator and surveyor remount technique for surveyed abutment crowns (Breeding et al). 1987;58:708-10
The effect of surface roughness of crown preparations on retention of cemented castings (Felton et al). 1987;58:292-6
Evaluation of the retention of castings to endosseous dental implants (Schneider). 1987;58:73-8
Internal venting of castings to improve marginal seal and retention of castings (Bruggers and Bruggers). 1987;58:270-3
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Recementation of dental castings with zinc phosphate cement: effect on cement bond strength (Felton et al). 1987;58:579-83
Cast restoration; *see also* **Cast**
Composite dowels and cores: effect of moisture on the fit of cast restorations (Vermilyea et al). 1987;58:429-31
Effect of die spacer on the seating of cast restorations on composite core preparations (Oliva and Lowe). 1987;58:29-35
Marginal finishing for cast gold restorations: reciprocal-action instrumentation (Small et al). 1987;58:403-8
Cast retainer; *see also* **Cast**
An alternative to cast etched retainers (Taleghani et al). 1987;58:424-8
Casting ring
Limiting wax pattern distortion caused by setting expansion (Davis). 1987;58:229-34

Cavity preparation
Cavity design for class II composite restorations (Ben-Amar et al). 1987;58:5-8
Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites (Tjan and Chan). 1987;58:559-63
Influence of burnishing on amalgam adaptation to cavity walls (Lovadino et al). 1987;58:284-6
Microleakage pattern of a resin-veneered glass-ionomer cavity liner (Crim and Shay). 1987;58:273-6
Cement; *see also* **Adhesive; Bond**
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
The effect of surface roughness of crown preparations on retention of cemented castings (Felton et al). 1987;58:292-6
Effects of various cementation methods on the retention of prefabricated posts (Tjan et al). 1987;58:309-13
Fabrication of a semirigid custom cementation aid (Monaghan). 1987;58:388-9
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Recementation of dental castings with zinc phosphate cement: effect on cement bond strength (Felton et al). 1987;58:579-83
Repair of an overcontoured cemented crown (Fitzig and Eli). 1987;58:558-9
The sealing capacity of intermediary base materials (Dippel et al). 1987;58:166-70
Centric relation
Aid to a stable centric relation record (Garcia and Janosek). 1987;58:526 (Tips)
Cephalometric tomography
A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible (Fernandes et al). 1987;58:466-70
Cephalostat
Magnetic resonance imaging of the temporomandibular joint. Part III: use of a cephalostat for clinical imaging (Laurell et al). 1987;58:355-9
Ceramic; *see also* **Ceramometal restorations**
The fit of molded all-ceramic, twin foil, and conventional ceramic crowns (Brukl and Philp). 1987;58:408-13
Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination (Sorensen and Torres). 1987;58:133-9
Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication (Sorensen and Torres). 1987;58:669-77
Ceramometal restorations
A bifurcated ceramometal crown (Baumgardner et al). 1987;58:658 (Tips)
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
A shear test for the bond strength of ceramometals (Hammad et al). 1987;58:431-7
Chemicals
A new chemical method for etching metal frameworks of the acid-etched prosthesis (Doukoudakis et al). 1987;58:421-3
Chewing; *see* **Mastication**
Chromium
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Cingulum rest seat
Bond strength of etched-metal resin-bonded cingulum rest seats (Seto and Caputo). 1987;58:458-62
Class II composite restoration
Cavity design for class II composite restorations (Ben-Amar et al). 1987;58:5-8
Class V composite restoration
Contour of class V composite restorations (Bauer). 1987;58:8-12
Cleft lip and palate
Prosthetic management of postsurgical fistulas in patients with cleft lip and palate (Morikawa et al). 1987;58:614-6
Cobalt 60
Patient alignment device for cobalt-60 radiation therapy (Engelmeier). 1987;58:620-2
Color
Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination (Sorensen and Torres). 1987;58:133-9
Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication (Sorensen and Torres). 1987;58:669-77
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58:535-42
Visual and instrumental discrimination steps between two adjacent porcelain shades (Ecker and Moser). 1987;58:286-91
Colorimeter
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58:535-42
Complete denture; *see also* **Denture**
Cast aluminum denture base (Barco and Dembert). 1987;58:179-86
Fabrication of a provisional complete denture (Langenwalter et al). 1987;58:246-8
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I (Friedman et al). 1987;58:687-9
A temporary replacement for an existing complete denture (Wagner). 1987;58:522-5
Using metal bases in making complete dentures (Belfiglio). 1987;58:314-7
Composite
Cavity design for class II composite restorations (Ben-Amar et al). 1987;58:5-8
Composite dowels and cores: effect of moisture on the fit of cast restorations (Vermilyea et al). 1987;58:429-31
Contour of class V composite restorations (Bauer). 1987;58:8-12
Effect of die spacer on the seating of cast restorations on composite core preparations (Oliva and Lowe). 1987;58:29-35
Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites (Tjan and Chan). 1987;58:559-63
Marginal accuracy of temporary composite crowns (Tjan et al). 1987;58:417-21
A modified incremental filling technique for class II composite restorations (Hassan et al). 1987;58:153-6
Replacement of lost or broken denture teeth with composites (Stameisen and Ruffino). 1987;58:119-20
Use of anesthetic warming device to maintain light-cured composite at mouth temperature (Baldauf). 1987;58:123 (Tips)
Computerized tomography
Indications for computerized tomography in the assessment and therapy of commonly misdiagnosed internal derangements of the temporomandibular joint (Ross et al). 1987;58:360-6
Computers
Computer-aided design and manufacturing in dentistry: a review of the state of the art (Rekow). 1987;58:512-6
Condylar inclination
The Gothic arch (needle point) tracing and condylar inclination (El-Gheriani and Winstanley). 1987;58:638-42
Connector
Fatigue failure in acrylic resin retaining minor connectors (Brown et al). 1987;58:329-35
Consent
How the law affects the dentist (Rissin). 1987;58:101-6

Contour
Contour of class V composite restorations (Bauer). 1987;58:8-12
Contract
How the law affects the dentist (Rissin). 1987;58:101-6
Correspondence
Letters. 1987;58:395, 662
Craniomandibular function and dysfunction
The cranial mechanism: its relationship to cranial-mandibular function (Libin). 1987;58:632-8
Craniomandibular function and dysfunction. 1987;58:83-100, 211-28, 355-73, 485-98, 623-42, 698-703
The craniomandibular index: validity (Fricton and Schiffman). 1987;58:222-8
Crown
An articulator and surveyor remount technique for surveyed abutment crowns (Breeding et al). 1987;58:708-10
A bifurcated ceramometal crown (Baumgardner et al). 1987;58:658 (Tips)
The convergence angle of tooth preparations for complete crowns (Leempoel et al). 1987;58:414-6
The effect of surface roughness of crown preparations on retention of cemented castings (Felton et al). 1987;58:292-6
Finishing procedures for the preparation of crown margins (Theuniers and De Clercq). 1987;58:545-52
The fit of molded all-ceramic, twin foil, and conventional ceramic crowns (Brukl and Philp). 1987;58:408-13
Marginal accuracy of temporary composite crowns (Tjan et al). 1987;58:417-21
Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction (Binkley and Binkley). 1987;58:53-6
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Reliability of ratings in evaluation of crowns (Helft et al). 1987;58:647-9
Repair of an overcontoured cemented crown (Fitzig and Eli). 1987;58:558-9
Cyanoacrylate resin
Effect of the fit of removable partial denture frameworks when master casts are treated with cyanoacrylate resin (Calverley and Moergeli). 1987;58:327-9

D

Dam placement
A simplified method of rubber dam placement (Baldauf). 1987;58:256 (Tips)
Dental implant
Dental implants. 1987;58:69-82, 197-210, 339-54, 466-84, 607-22, 694-7
Evaluation of the retention of castings to endosseous dental implants (Schneider). 1987;58:73-8
Hydroxyapatite-coated subperiosteal dental implants: design rationale and clinical experience (Kay et al). 1987;58:339-43
Dental laboratory
Evaluation of the barrier system, an infection control system for the dental laboratory (Henderson et al). 1987;58:517-21
Dental stones
Compatibility of type IV dental stones with polyvinyl siloxane impression materials (Schelb et al). 1987;58:19-22
Dental tape
A method to remove a fixed partial denture (Eshelman). 1987;58:123-4 (Tips)
Dental technology
Dental technology. 1987;58:119-22, 246-53, 388-92, 517-25, 655-7, 708-10
Dentin
Bond strength of a luting composite to dentin with different bonding systems (O'Sullivan et al). 1987;58:171-5
Dentinal slot
The retentive strength of slots with different width and depth versus pins (Chan and Chan). 1987;58:552-7
Denture; *see also* **Complete denture; Fixed partial denture; Removable partial denture**
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Fabrication of a provisional complete denture (Langenwalter et al). 1987;58:246-8
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I (Friedman et al). 1987;58:687-9
An investigation of the adhesion of acrylic resin teeth to dentures (Spratley). 1987;58:389-92
Limited esthetic try-in for some immediate dentures (Beaumont). 1987;58:655-6
Marking dentures for identification (Stevenson). 1987;58:255 (Tips)
A new clinical approach to the problem denture patient (Rich and Kabcenell). 1987;58:451-4
Objective testing of the efficiency of denture-cleansing agents (Minagi et al). 1987;58:595-8
Replacement of lost or broken denture teeth with composites (Stameisen and Ruffino). 1987;58:119-20
A temporary replacement for an existing complete denture (Wagner). 1987;58:522-5
Denture base; *see* **Base material**
Depression
The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I (Friedman et al). 1987;58:687-9
Die spacer
Measuring the thickness of a paint-on die spacer (Rieger et al). 1987;58:305-8
Dies
Comparing effects of tray treatment on the accuracy of dies (Tjan and Whang). 1987;58:175-8
Effect of die spacer on the seating of cast restorations on composite core preparations (Oliva and Lowe). 1987;58:29-35
Measuring the thickness of a paint-on die spacer (Rieger et al). 1987;58:305-8
Disinfection
Evaluation of an ultraviolet disinfection unit (Boylan et al). 1987;58:650-4
Marginal fit of cast gold MO inlays from disinfected elastomeric impressions (Merchant et al). 1987;58:276-80
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5
Disk derangement; *see* **Temporomandibular joint**
Double-mix cementation; *see also* **Cement**
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9

E

Edentulous patient
The edentulous population: its use and need of dental services (Waldman). 1987;58:643-6
Palatal lift prostheses for edentulous patients (Sato et al). 1987;58:206-10
Education
Research and education. 1987;58:101-18, 229-45, 374-87, 499-516, 643-54, 704-7
Elastomer
Infection control during elastomeric impressions (White and Jordan). 1987;58:711-2 (Tips)
Marginal fit of cast gold MO inlays from disinfected elastomeric impressions (Merchant et al). 1987;58:276-80
Electrical nerve stimulation
Transcutaneous electrical nerve stimulation in dentistry: a report of a double-blind study (Curcio et al). 1987;58:379-83

Electromyography
Determination of vertical dimension of rest: a comparative study (Babu et al). 1987;58:238-45
Quantitative electromyographic response to therapy for myo-oral facial pain: a pilot study (Balciunas et al). 1987;58:366-9
Use of a portable electromyogram integrator and biofeedback unit in the treatment of chronic nocturnal bruxism (Hudzinski and Walters). 1987;58:698-701
Electron microscopy
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Electronic axial alignment indicator
A handpiece-mounted electronic axial alignment indicator (Rosenstiel and Deane). 1987;58:574-8
Enamel
Anatomic guide for reduction of enamel for acid-etched retainers (Ferrari et al). 1987;58:106-10
Endodontics
A comparison of three restorative techniques for endodontically treated anterior teeth (Brandal et al). 1987;58:161-5
Endosseous implant
Evaluation of the retention of castings to endosseous dental implants (Schneider). 1987;58:73-8
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13
Erratum
Dimensional stability of dentures processed in boilable acrylic resins: a comparative study (Polyzois et al) (1987;57:642). 1987;58:654
Esthetics; *see also* **Color, Colorimeter**
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
Limited esthetic try-in for some immediate dentures (Beaumont). 1987;58:655-6
Preventive durapatite ridge augmentation for esthetic fixed prosthodontics (Balshi). 1987;58:266-70
Etching
Bond strength of etched-metal resin-bonded cingulum rest seats (Seto and Caputo). 1987;58:458-62
A new chemical method for etching metal frameworks of the acid-etched prosthesis (Doukoudakis et al). 1987;58:421-3
Extraoral prosthesis
Coordinated intraoral and extraoral prostheses in the rehabilitation of the orofacial cancer patient (Birnbach and Herman). 1987;58:343-8
Extrusion
A hygienic acid-etch splint to prevent extrusion (Gelles and Shernoff). 1987;58:394 (Tips)

F

Facial contour
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
Facial defect
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5
Facial pain
Quantitative electromyographic response to therapy for myo-oral facial pain: a pilot study (Balciunas et al). 1987;58:366-9
Facial prosthesis; *see also* **Nasal prosthesis**
Urethane-lined silicone facial prostheses (Udagama). 1987;58:351-4
Fatigue failure
Fatigue failure in acrylic resin retaining minor connectors (Brown et al). 1987;58:329-35
Fear
The influence of fear, anxiety, and depression on the patient's adaptive responses to complete dentures. Part I (Friedman et al). 1987;58:687-9
Fiber-optics
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58:535-42
Filling
A modified incremental filling technique for class II composite restorations (Hassan et al). 1987;58:153-6
Tissue response to direct filling materials (Bauer and Al-Rubayi). 1987;58:584-9
Finish
Finishing procedures for the preparation of crown margins (Theuniers and De Clercq). 1987;58:545-52
Fistula
Prosthetic management of postsurgical fistulas in patients with cleft lip and palate (Morikawa et al). 1987;58:614-6
Fixed partial denture; *see also* **Fixed prosthodontics**
The cantilever fixed partial denture: a 10-year follow-up (Hochman et al). 1987;58:542-5
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
A method to remove a fixed partial denture (Eshelman). 1987;58:123-4 (Tips)
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
Veterans Administration Cooperative Dental Implant Study—comparisons between fixed partial dentures supported by blade-vent implants and removable partial dentures. Part I: methodology and comparisons between treatment groups at baseline (Kapur). 1987;58:499-512
Fixed prosthodontics
Fixed prosthodontics and operative dentistry. 1987;58:1-52, 133-78, 266-313, 403-50, 535-89, 669-86
Fracture toughness of provisional resins for fixed prosthodontics (Gegauff and Pryor). 1987;58:23-9
Fracture
Fracture toughness of provisional resins for fixed prosthodontics (Gegauff and Pryor). 1987;58:23-9
Impact-fracture energy of human premolar teeth (Salis et al). 1987;58:43-8
Furcation
Considerations for furcation treatment. Part III: restorative therapy (Baima). 1987;58:145-7

G

Gingiva
Significance of abutment tooth angle of gingival convergence on removable partial denture retention (Schneider). 1987;58:194-6
Glass-ionomer cavity liner
Microleakage pattern of a resin-veneered glass-ionomer cavity liner (Crim and Shay). 1987;58:273-6
Gold
Marginal finishing for cast gold restorations: reciprocal-action instrumentation (Small et al). 1987;58:403-8
Marginal fit of cast gold MO inlays from disinfected elastomeric impressions (Merchant et al). 1987;58:276-80
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Gothic arch tracing
The Gothic arch (needle point) tracing and condylar inclination (El-Gheriani and Winstanley). 1987;58:638-42
Graft
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9

H

Haemophilus influenzae
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8

Handpiece
A handpiece-mounted electronic axial alignment indicator (Rosenstiel and Deane). 1987;58:574-8
Head angulation
Head angulation and variations in the maxillomandibular relationship. Part I: the effects on the vertical dimension of occlusion (Araki and Araki). 1987;58:96-100
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
Head posture
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
Heat
An easy method of extraoral heat application (Baldauf). 1987;58:526 (Tips)
Helkimo index
The craniomandibular index: validity (Fricton and Schiffman). 1987;58:222-8
Hemisection
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Hepatitis B
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5
Hinge axis
An alternative technique for location of the hinge axis (Gunderson and Parker). 1987;58:448-50
Hydrocolloid
Hydrocolloid conditioning units: a potential source of bacterial cross contamination (Powell et al). 1987;58:280-3
Hydrophilic impression
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5
Hydroxyapatite
Hydroxyapatite-coated subperiosteal dental implants: design rationale and clinical experience (Kay et al). 1987;58:339-43
Hypermobility
Is temporomandibular joint dysfunction associated with generalized joint hypermobility? (Greenwood) 1987;58:701-3
Hypersensitivity
Prevalence of mercury hypersensitivity in dental students (Miller et al). 1987;58:235-7

I

Identification
Marking dentures for identification (Stevenson). 1987;58:255 (Tips)
Imaging; *see* **Magnetic resonance imaging; Radiography**
Immediate denture
Limited esthetic try-in for some immediate dentures (Beaumont). 1987;58:655-6
Impact
Impact-fracture energy of human premolar teeth (Salis et al). 1987;58:43-8
Implant
Dental implant night guard (Yard et al). 1987;58:711 (Tips)
Dental implants. 1987;58:69-82, 197-210, 339-54, 466-84, 607-22, 694-7
Evaluation of the retention of castings to endosseous dental implants (Schneider). 1987;58:73-8
Implant dentistry: the significance of a team approach (Barnett and Krump). 1987;58:69-73
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13
Surface analysis of titanium after sterilization: role in implant-tissue interface and bioadhesion (Doundoulakis). 1987;58:471-8
Impression
Autoclavable custom-made metal impression trays to improve infection control (Engelmeier). 1987;58:121-2
Comparing effects of tray treatment on the accuracy of dies (Tjan and Whang). 1987;58:175-8
Compatibility of type IV dental stones with polyvinyl siloxane impression materials (Schelb et al). 1987;58:19-22
Infection control during elastomeric impressions (White and Jordan). 1987;58:711-2 (Tips)
Marginal fit of cast gold MO inlays from disinfected elastomeric impressions (Merchant et al). 1987;58:276-80
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5
Selective-pressure impression technique for nasal prostheses (Shifman). 1987;58:349-51
In memoriam
Louis S. Block (Adisman). 1987;58:265
Infection
Autoclavable custom-made metal impression trays to improve infection control (Engelmeier). 1987;58:121-2
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Evaluation of the barrier system, an infection control system for the dental laboratory (Henderson et al). 1987;58:517-21
Hydrocolloid conditioning units: a potential source of bacterial cross contamination (Powell et al). 1987;58:280-3
Infection control during elastomeric impressions (White and Jordan). 1987;58:711-2 (Tips)
Prevention of acquired immunodeficiency syndrome and hepatitis B. II: disinfection method for hydrophilic impression materials (Minagi et al). 1987;58:462-5
Internal derangement; *see* **Temporomandibular joint**
Intraoral splint
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5

J

Joint; *see also* **Temporomandibular joint**
Effectiveness and durability of repaired acrylic resin joints (Stipho and Stipho). 1987;58:249-53

L

Lactobacillus acidophilus
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Laminate
A photoelastic study of stresses on porcelain laminate preparations (Highton et al). 1987;58:157-61
Laminography
Magnetic resonance imaging of the temporomandibular joint. Part II: comparison with laminographic, autopsy, and histologic findings (Laurell et al). 1987;58:211-8
Law
How the law affects the dentist (Rissin). 1987;58:101-6
Letters
Letters. 1987;58:395, 662
Liability
How the law affects the dentist (Rissin). 1987;58:101-6
Light curing
Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites (Tjan and Chan). 1987;58:559-63
Light-cured porcelain margins: a new technique (Pinnell et al). 1987;58:50-2
Use of anesthetic warming device to maintain light-cured composite at mouth temperature (Baldauf). 1987;58:123 (Tips)
Liner
Microleakage pattern of a resin-veneered glass-ionomer cavity liner (Crim and Shay). 1987;58:273-6
The sealing capacity of intermediary base materials (Dippel et al). 1987;58:166-70

Lip support
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
Luting media; *see also specific medium*
Bond strength of a luting composite to dentin with different bonding systems (O'Sullivan et al). 1987;58:171-5

M

Magnetic resonance imaging
Magnetic resonance imaging of the temporomandibular joint. Part I: literature review (Laurell et al). 1987;58:83-9
Magnetic resonance imaging of the temporomandibular joint. Part II: comparison with laminographic, autopsy, and histologic findings (Laurell et al). 1987;58:211-8
Magnetic resonance imaging of the temporomandibular joint. Part III: use of a cephalostat for clinical imaging (Laurell et al). 1987;58:355-9
Malocclusion
Prosthetic treatment of malocclusion in patients with muscular dystrophy (Leinbach). 1987;58:604-6
Mandible
A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible (Fernandes et al). 1987;58:466-70
The cranial mechanism: its relationship to cranial-mandibular function (Libin). 1987;58:632-8
Longitudinal variation of maximal mandibular mobility: an intraindividual study (Agerberg). 1987;58:370-3
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
Mandibular anterior vestibuloplasty
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9
Mandibular molar
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Manufacturing
Computer-aided design and manufacturing in dentistry: a review of the state of the art (Rekow). 1987;58:512-6
Margin
Finishing procedures for the preparation of crown margins (Theuniers and De Clercq). 1987;58:545-52
Internal venting of castings to improve marginal seal and retention of castings (Bruggers and Bruggers). 1987;58:270-3
Light-cured porcelain margins: a new technique (Pinnell et al). 1987;58:50-2
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Masseter muscle
A standardized system for evoking masseteric silent periods with decreased variance (Koidis et al). 1987;58:110-8
Master cast
Effect of the fit of removable partial denture frameworks when master casts are treated with cyanoacrylate resin (Calverley and Moergeli). 1987;58:327-9
Mastication
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
A standardized system for evoking masseteric silent periods with decreased variance (Koidis et al). 1987;58:110-8
Maxillary defect
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5
Maxillofacial prosthetics
Maxillofacial prosthetics. 1987;58:69-82, 197-210, 339-54, 466-84, 607-22, 694-7
Maxillomandibular relationship
Head angulation and variations in the maxillomandibular relationship. Part I: the effects on the vertical dimension of occlusion (Araki and Araki). 1987;58:96-100
Head angulation and variations in the maxillomandibular relationship. Part II: the effects on facial contour and lip support (Araki and Araki). 1987;58:218-21
Mercury
Correlation of dental amalgam with mercury in brain tissue (Eggleston and Nylander). 1987;58:704-7
Prevalence of mercury hypersensitivity in dental students (Miller et al). 1987;58:235-7
Metal
The effect of metal retentive designs on resin veneer retention (Shue et al). 1987;58:297-305
Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination (Sorensen and Torres). 1987;58:133-9
Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication (Sorensen and Torres). 1987;58:669-77
Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction (Binkley and Binkley). 1987;58:53-6
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Porous metal coating to enhance retention of a Rochette prosthesis (Stokes). 1987;58:657
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Using metal bases in making complete dentures (Belfiglio). 1987;58:314-7
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Micrococcus luteus
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Microleakage
Microleakage pattern of a resin-veneered glass-ionomer cavity liner (Crim and Shay). 1987;58:273-6
Microscopy
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Midfacial tissue loss
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5
MO inlay
Marginal fit of cast gold MO inlays from disinfected elastomeric impressions (Merchant et al). 1987;58:276-80
Molar
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Molded crown
The fit of molded all-ceramic, twin foil, and conventional ceramic crowns (Brukl and Philp). 1987;58:408-13
Muscles of mastication; *see also* **Mastication**
A standardized system for evoking masseteric silent periods with decreased variance (Koidis et al). 1987;58:110-8
Muscular dystrophy
Prosthetic treatment of malocclusion in patients with muscular dystrophy (Leinbach). 1987;58:604-6

Mylohyoid ridge resection
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
Myo-oral facial pain
Quantitative electromyographic response to therapy for myo-oral facial pain: a pilot study (Balciunas et al). 1987;58:366-9

N

Nasal prosthesis
Selective-pressure impression technique for nasal prostheses (Shifman). 1987;58:349-51
Nasal videoendoscopy
Nasal videoendoscopy in prosthetic management of palatopharyngeal dysfunction (Karnell et al). 1987;58:479-84
Nasopharyngeal carcinoma
Radiation carrier for treatment of nasopharyngeal carcinomas (Rosenstein et al). 1987;58:617-9
Neck posture
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
Needle point tracing
The Gothic arch (needle point) tracing and condylar inclination (El-Gheriani and Winstanley). 1987;58:638-42
Negligence
How the law affects the dentist (Rissin). 1987;58:101-6
Neisseria meningitidis
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Nerve stimulation
Transcutaneous electrical nerve stimulation in dentistry: a report of a double-blind study (Curcio et al). 1987;58:379-83
Nickel
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Night guard
Dental implant night guard (Yard et al). 1987;58:711 (Tips)
Nocturnal bruxism
Use of a portable electromyogram integrator and biofeedback unit in the treatment of chronic nocturnal bruxism (Hudzinski and Walters). 1987;58:698-701
Nose
Nasal videoendoscopy in prosthetic management of palatopharyngeal dysfunction (Karnell et al). 1987;58:479-84
Radiation carrier for treatment of nasopharyngeal carcinomas (Rosenstein et al). 1987;58:617-9
Selective-pressure impression technique for nasal prostheses (Shifman). 1987;58:349-51
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5

O

Obituary
Louis S. Block (Adisman). 1987;58:265
Occlusal contact
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
Occlusal force
Impact-fracture energy of human premolar teeth (Salis et al). 1987;58:43-8
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
Occlusal record
An alternative method for the production of accurate casts and occlusal records in osseointegrated implant rehabilitation (Henry). 1987;58:694-7
Use of anterior teeth measurements in determining occlusal vertical dimension (Fayz et al). 1987;58:317-22
Occlusal splint
Patient remount of an occlusal splint (Kotowicz and Geering). 1987;58:254-5 (Tips)
Operative dentistry
Fixed prosthodontics and operative dentistry. 1987;58:1-52, 133-78, 266-313, 403-50, 535-89, 669-86
Orofacial cancer
Coordinated intraoral and extraoral prostheses in the rehabilitation of the orofacial cancer patient (Birnbach and Herman). 1987;58:343-8
Radiation carrier for treatment of nasopharyngeal carcinomas (Rosenstein et al). 1987;58:617-9
Osseointegration
An alternative method for the production of accurate casts and occlusal records in osseointegrated implant rehabilitation (Henry). 1987;58:694-7
Occlusal force pattern during mastication in dentitions with mandibular fixed partial dentures supported on osseointegrated implants (Lundgren et al). 1987;58:197-203
Osteoporosis
Calcium metabolism and osteoporotic ridge resorption: a protein connection (Blank et al). 1987;58:590-5
Osteoradionecrosis
Oral complications following radiation therapy: a five-year retrospective report (Schweiger). 1987;58:78-82
Otalgia
Tinnitus and otalgia in temporomandibular disorders (Bush). 1987;58:495-8
Overcontouring
Repair of an overcontoured cemented crown (Fitzig and Eli). 1987;58:558-9
Oxidation
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86

P

Paint-on die spacer
Measuring the thickness of a paint-on die spacer (Rieger et al). 1987;58:305-8
Palatal lift prosthesis
Palatal lift prostheses for edentulous patients (Sato et al). 1987;58:206-10
Palatopharyngeal dysfunction
Nasal videoendoscopy in prosthetic management of palatopharyngeal dysfunction (Karnell et al). 1987;58:479-84
Partial denture; *see* **Fixed partial denture; Removable partial denture**
Periodontics
Periodontal reactions related to removable partial dentures: a literature review (Bergman). 1987;58:454-8
Photoelastic stress analysis
A photoelastic study of stresses on porcelain laminate preparations (Highton et al). 1987;58:157-61
Rest seat designs for inclined posterior abutments: a photoelastic comparison (Sansom et al). 1987;58:57-62
Pin
The retentive strength of slots with different width and depth versus pins (Chan and Chan). 1987;58:552-7
Polishing
Polishing dental amalgam restorations (de Vries et al). 1987;58:148-52
Polymerization
Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites (Tjan and Chan). 1987;58:559-63
Polyvinyl siloxane
Compatibility of type IV dental stones with polyvinyl siloxane impression materials (Schelb et al). 1987;58:19-22

Porcelain
Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination (Sorensen and Torres). 1987;58:133-9
Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication (Sorensen and Torres). 1987;58:669-77
Light-cured porcelain margins: a new technique (Pinnell et al). 1987;58:50-2
A photoelastic study of stresses on porcelain laminate preparations (Highton et al). 1987;58:157-61
Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction (Binkley and Binkley). 1987;58:53-6
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Visual and instrumental discrimination steps between two adjacent porcelain shades (Ecker and Moser). 1987;58:286-91
Porous metal coating
Porous metal coating to enhance retention of a Rochette prosthesis (Stokes). 1987;58:657
Postceramic solder joint
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58:35-42
Postsurgical fistula
Prosthetic management of postsurgical fistulas in patients with cleft lip and palate (Morikawa et al). 1987;58:614-6
Posture
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
Precision attachment
A classification of precision attachments (Becerra and MacEntee). 1987;58:322-7
Prefabrication
Effects of various cementation methods on the retention of prefabricated posts (Tjan et al). 1987;58:309-13
Premolar teeth
Impact-fracture energy of human premolar teeth (Salis et al). 1987;58:43-8
Preprosthetic surgery
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
Prosthesis; *see also specific prosthesis*
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
A new chemical method for etching metal frameworks of the acid-etched prosthesis (Doukoudakis et al). 1987;58:421-3
Palatal lift prostheses for edentulous patients (Sato et al). 1987;58:206-10
Porous metal coating to enhance retention of a Rochette prosthesis (Stokes). 1987;58:657
Prosthetic management of postsurgical fistulas in patients with cleft lip and palate (Morikawa et al). 1987;58:614-6
Prosthetic treatment of malocclusion in patients with muscular dystrophy (Leinbach). 1987;58:604-6
Selective-pressure impression technique for nasal prostheses (Shifman). 1987;58:349-51
Urethane-lined silicone facial prostheses (Udagama). 1987;58:351-4
Prosthodontics
Preventive durapatite ridge augmentation for esthetic fixed prosthodontics (Balshi). 1987;58:266-70
Protein
Calcium metabolism and osteoporotic ridge resorption: a protein connection (Blank et al). 1987;58:590-5
Provisional resin
Fracture toughness of provisional resins for fixed prosthodontics (Gegauff and Pryor). 1987;58:23-9

R

Radiation
Oral complications following radiation therapy: a five-year retrospective report (Schweiger). 1987;58:78-82
Patient alignment device for cobalt-60 radiation therapy (Engelmeier). 1987;58:620-2
Radiation carrier for treatment of nasopharyngeal carcinomas (Rosenstein et al). 1987;58:617-9
Technique for fabricating an oral radiation positioner (Myers and Mitchell). 1987;58:659 (Tips)
Radiography; *see also* **Magnetic resonance imaging**
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9
Readers' round table
Letters. 1987;58:395, 662
Recementation
Recementation of dental castings with zinc phosphate cement: effect on cement bond strength (Felton et al). 1987;58:579-83
Recontouring
Repair of an overcontoured cemented crown (Fitzig and Eli). 1987;58:558-9
Rehabilitation
An alternative method for the production of accurate casts and occlusal records in osseointegrated implant rehabilitation (Henry). 1987;58:694-7
Remount procedure
Patient remount of an occlusal splint (Kotowicz and Geering). 1987;58:254-5 (Tips)
Removable partial denture; *see also* **Removable prosthodontics**
An aid for swing-lock partial denture removal (LaBell and Glassman). 1987;58:393 (Tips)
Design variations of the rotational path removable partial denture (Schwartz and Murchison). 1987;58:336-8
A dislodged and swallowed unilateral removable partial denture (Goodacre). 1987;58:124-5 (Tips)
Effect of the fit of removable partial denture frameworks when master casts are treated with cyanoacrylate resin (Calverley and Moergeli). 1987;58:327-9
An investigation of shear bond strengths of various resin-bonded inner surface rest seat designs for removable partial dentures (Seely et al). 1987;58:186-94
Periodontal reactions related to removable partial dentures: a literature review (Bergman). 1987;58:454-8
Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction (Binkley and Binkley). 1987;58:53-6
Significance of abutment tooth angle of gingival convergence on removable partial denture retention (Schneider). 1987;58:194-6
Veterans Administration Cooperative Dental Implant Study—comparisons between fixed partial dentures supported by blade-vent implants and removable partial dentures. Part I: methodology and comparisons between treatment groups at baseline (Kapur). 1987;58:499-512
Removable prosthodontics; *see also* **Removable partial denture**
Removable prosthodontics. 1987;58:53-68, 179-96, 314-38, 451-65, 590-606, 687-93
Replacement teeth; *see also* **Denture**
Porcelain-fused-to-metal crowns as replacements for denture teeth in removable partial denture construction (Binkley and Binkley). 1987;58:53-6
Replacement of lost or broken denture teeth with composites (Stameisen and Ruffino). 1987;58:119-20
A temporary replacement for an existing complete denture (Wagner). 1987;58:522-5

Research and education
Research and education. 1987;58:101-18, 229-45, 374-87, 499-516, 643-54, 704-7
Resection
The hemisected mandibular molar: a strategic abutment (Schmitt and Brown). 1987;58:140-5
Residual ridge
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13
Resin
Bond strength of etched-metal resin-bonded cingulum rest seats (Seto and Caputo). 1987;58:458-62
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
Effect of the fit of removable partial denture frameworks when master casts are treated with cyanoacrylate resin (Calverley and Moergeli). 1987;58:327-9
The effect of metal retentive designs on resin veneer retention (Shue et al). 1987;58:297-305
Effectiveness and durability of repaired acrylic resin joints (Stipho and Stipho). 1987;58:249-53
Fatigue failure in acrylic resin retaining minor connectors (Brown et al). 1987;58:329-35
Fracture toughness of provisional resins for fixed prosthodontics (Gegauff and Pryor). 1987;58:23-9
An investigation of the adhesion of acrylic resin teeth to dentures (Spratley). 1987;58:389-92
An investigation of shear bond strengths of various resin-bonded inner surface rest seat designs for removable partial dentures (Seely et al). 1987;58:186-94
Water sorption by denture acrylic resin and consequent changes in vertical dimension (Ristic and Carr). 1987;58:689-93
Rest
Determination of vertical dimension of rest: a comparative study (Babu et al). 1987;58:238-45
Rest seat
An investigation of shear bond strengths of various resin-bonded inner surface rest seat designs for removable partial dentures (Seely et al). 1987;58:186-94
Rest seat designs for inclined posterior abutments: a photoelastic comparison (Sansom et al). 1987;58:57-62
Restoration
Cavity design for class II composite restorations (Ben-Amar et al). 1987;58:5-8
A comparison of three restorative techniques for endodontically treated anterior teeth (Brandal et al). 1987;58:161-5
Considerations for furcation treatment. Part III: restorative therapy (Baima). 1987;58:145-7
Contour of class V composite restorations (Bauer). 1987;58:8-12
Effect of die spacer on the seating of cast restorations on composite core preparations (Oliva and Lowe). 1987;58:29-35
Fracture toughness of provisional resins for fixed prosthodontics (Gegauff and Pryor). 1987;58:23-9
Improved color matching of metal-ceramic restorations. Part I: a systematic method for shade determination (Sorensen and Torres). 1987;58:133-9
Improved color matching of metal-ceramic restorations. Part II: procedures for visual communication (Sorensen and Torres). 1987;58:669-77
Marginal finishing for cast gold restorations: reciprocal-action instrumentation (Small et al). 1987;58:403-8
A modified incremental filling technique for class II composite restorations (Hassan et al). 1987;58:153-6
Polishing dental amalgam restorations (de Vries et al). 1987;58:148-52
The retentive strength of slots with different width and depth versus pins (Chan and Chan). 1987;58:552-7
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Retainer; *see* **Retention**
Retention
An alternative to cast etched retainers (Taleghani et al). 1987;58:424-8
Anatomic guide for reduction of enamel for acid-etched retainers (Ferrari et al). 1987;58:106-10
A double-mix cementation for improved esthetics of resin-bonded prostheses (Caughman et al). 1987;58:48-9
Effects of various cementation methods on the retention of prefabricated posts (Tjan et al). 1987;58:309-13
Evaluation of the retention of castings to endosseous dental implants (Schneider). 1987;58:73-8
Internal venting of castings to improve marginal seal and retention of castings (Bruggers and Bruggers). 1987;58:270-3
Porous metal coating to enhance retention of a Rochette prosthesis (Stokes). 1987;58:657
The retentive strength of slots with different width and depth versus pins (Chan and Chan). 1987;58:552-7
Significance of abutment tooth angle of gingival convergence on removable partial denture retention (Schneider). 1987;58:194-6
Ridge
Calcium metabolism and osteoporotic ridge resorption: a protein connection (Blank et al). 1987;58:590-5
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
Preventive durapatite ridge augmentation for esthetic fixed prosthodontics (Balshi). 1987;58:266-70
Residual alveolar ridge maintenance with a new endosseous implant material (Stanley et al). 1987;58:607-13
Rochette prosthesis
Porous metal coating to enhance retention of a Rochette prosthesis (Stokes). 1987;58:657
Rubber dam
A simplified method of rubber dam placement (Baldauf). 1987;58:256 (Tips)
Rubber point
Polishing dental amalgam restorations (de Vries et al). 1987;58:148-52

S

Scanning electron microscopy
Scanning electron microscopy of the marginal fit of ceramometal restorations with facially butted porcelain margins (Omar). 1987;58:13-9
Sealing; *see also* **Adhesive; Bond; Cement**
The effect of an air polishing device on sealant bond strength (Scott and Greer). 1987;58:384-7
The sealing capacity of intermediary base materials (Dippel et al). 1987;58:166-70
Seating; *see also* **Rest seat**
Effect of die spacer on the seating of cast restorations on composite core preparations (Oliva and Lowe). 1987;58:29-35
Semiadjustable articulator
Limitations of semiadjustable articulators. Part I: straight line articulators without setting for immediate side shift (Wachtel and Curtis). 1987;58:438-42
Limitations of semiadjustable articulators. Part II: straight line articulators with provision for immediate side shift (Curtis and Wachtel). 1987;58:569-73
Shear test
A shear test for the bond strength of ceramometals (Hammad et al). 1987;58:431-7
Silicone
Compatibility of type IV dental stones with polyvinyl siloxane impression materials (Schelb et al). 1987;58:19-22
Urethane-lined silicone facial prostheses (Udagama). 1987;58:351-4

Skin graft
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9
Slot
The retentive strength of slots with different width and depth versus pins (Chan and Chan). 1987;58:552-7
Solder joint
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58: 35-42
Spectral analysis
Spectral analysis of temporomandibular joint sounds (Drum and Litt). 1987;58:485-94
Splint
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
A hygienic acid-etch splint to prevent extrusion (Gelles and Shernoff). 1987;58:394 (Tips)
Patient remount of an occlusal splint (Kotowicz and Geering). 1987;58:254-5 (Tips)
Stomatitis
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Straight line articulator
Limitations of semiadjustable articulators. Part I: straight line articulators without setting for immediate side shift (Wachtel and Curtis). 1987;58:438-42
Limitations of semiadjustable articulators. Part II: straight line articulators with provision for immediate side shift (Curtis and Wachtel). 1987;58:569-73
Streptococcus mutans
Bacterial antibodies in patients undergoing treatment for denture stomatitis (Fouché et al). 1987;58:63-8
Stress
Interfering occlusal contacts and distribution of chewing and biting forces in dentitions with fixed cantilever prostheses (Laurell and Lundgren). 1987;58:626-32
A photoelastic study of stresses on porcelain laminate preparations (Highton et al). 1987;58:157-61
Rest seat designs for inclined posterior abutments: a photoelastic comparison (Sansom et al). 1987;58:57-62
Subperiosteal dental implant
Hydroxyapatite-coated subperiosteal dental implants: design rationale and clinical experience (Kay et al). 1987;58:339-43
Surface oxidation
Porcelain-fused-to-metal surface oxidation effects on cemented casting retention (Felton et al). 1987;58:677-86
Surface roughness
The effect of surface roughness of crown preparations on retention of cemented castings (Felton et al). 1987;58:292-6
Surveyor
An articulator and surveyor remount technique for surveyed abutment crowns (Breeding et al). 1987;58:708-10
Swing-lock partial denture removal
An aid for swing-lock partial denture removal (LaBell and Glassman). 1987;58:393 (Tips)

T

Team approach
Implant dentistry: the significance of a team approach (Barnett and Krump). 1987;58:69-73
Technology
Dental technology. 1987;58:119-22, 246-53, 388-92, 517-25, 655-7, 708-10
Temperature
Use of anesthetic warming device to maintain light-cured composite at mouth temperature (Baldauf). 1987;58:123 (Tips)
Temporary crown
Marginal accuracy of temporary composite crowns (Tjan et al). 1987;58:417-21
Temporary denture
A temporary replacement for an existing complete denture (Wagner). 1987;58:522-5
Temporomandibular joint
The craniomandibular index: validity (Fricton and Schiffman). 1987;58:222-8
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
Head angulation and variations in the maxillomandibular relationship. Part I: the effects on the vertical dimension of occlusion (Araki and Araki). 1987;58:96-100
Indications for computerized tomography in the assessment and therapy of commonly misdiagnosed internal derangements of the temporomandibular joint (Ross et al). 1987;58: 360-6
Is temporomandibular joint dysfunction associated with generalized joint hypermobility? (Greenwood) 1987;58:701-3
Magnetic resonance imaging of the temporomandibular joint. Part I: literature review (Laurell et al). 1987;58:83-9
Magnetic resonance imaging of the temporomandibular joint. Part II: comparison with laminographic, autopsy, and histologic findings (Laurell et al). 1987;58:211-8
Magnetic resonance imaging of the temporomandibular joint. Part III: use of a cephalostat for clinical imaging (Laurell et al). 1987;58:355-9
A simple technique for the distraction and mobilization of the temporomandibular joint condyle in nonreducing disk derangements (Harkins et al). 1987;58:623-5
Spectral analysis of temporomandibular joint sounds (Drum and Litt). 1987;58:485-94
Tinnitus and otalgia in temporomandibular disorders (Bush). 1987;58:495-8
Tensile strength
Bond strength of a luting composite to dentin with different bonding systems (O'Sullivan et al). 1987;58:171-5
Tensile bond strength of low-fusing solder joints with the use of a nickel-chromium-beryllium base metal alloy (Khayat and Nicholls). 1987;58:563-9
Tensile strengths and microscopic analysis of nickel-chromium base metal postceramic solder joints (Sobieralski et al). 1987;58: 35-42
Tinnitus
Tinnitus and otalgia in temporomandibular disorders (Bush). 1987;58:495-8
Tips from readers
Tips from our readers. 1987;58:123-5, 254-6, 393-4, 526, 658-9, 711-2
Tissue
A technique for the obturation of anterior maxillary defects with accompanying midfacial tissue loss (Fattore and Edmonds). 1987;58:203-5
Tissue response to direct filling materials (Bauer and Al-Rubayi). 1987;58:584-9
Titanium
Surface analysis of titanium after sterilization: role in implant-tissue interface and bioadhesion (Doundoulakis). 1987;58:471-8
Tomography
A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible (Fernandes et al). 1987;58:466-70
Indications for computerized tomography in the assessment and therapy of commonly misdiagnosed internal derangements of the temporomandibular joint (Ross et al). 1987;58:360-6
Tooth; *see also* **Denture**; *specific tooth*
A comparison of three restorative techniques for endodontically treated anterior teeth (Brandal et al). 1987;58:161-5
The convergence angle of tooth preparations for complete crowns (Leempoel et al). 1987;58:414-6
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58: 535-42
Use of anterior teeth measurements in determining occlusal vertical dimension (Fayz et al). 1987;58:317-22

Tooth color
Use of a fiber-optic colorimeter for in vivo color measurements of 2830 anterior teeth (Goodkind and Schwabacher). 1987;58:535-42
Visual and instrumental discrimination steps between two adjacent porcelain shades (Ecker and Moser). 1987;58:286-91
Tort law
How the law affects the dentist (Rissin). 1987;58:101-6
Tracing
The Gothic arch (needle point) tracing and condylar inclination (El-Gheriani and Winstanley). 1987;58:638-42
Tray treatment; *see also* **Impression**
Comparing effects of tray treatment on the accuracy of dies (Tjan and Whang). 1987;58:175-8
Try-in
Limited esthetic try-in for some immediate dentures (Beaumont). 1987;58:655-6

U

Ultraviolet
Evaluation of an ultraviolet disinfection unit (Boylan et al). 1987;58:650-4
Urethane
Urethane-lined silicone facial prostheses (Udagama). 1987;58:351-4

V

Varnish
Effects of resin-compatible cavity varnishes on the polymerization of visible light-cured composites (Tjan and Chan). 1987;58:559-63
The sealing capacity of intermediary base materials (Dippel et al). 1987;58:166-70
Veneer
The effect of metal retentive designs on resin veneer retention (Shue et al). 1987;58:297-305
Vertical dimension
A cephalometric tomographic technique to visualize the buccolingual and vertical dimensions of the mandible (Fernandes et al). 1987;58:466-70
Determination of vertical dimension of rest: a comparative study (Babu et al). 1987;58:238-45
Effect of an intraoral splint on head and neck posture (Root et al). 1987;58:90-5
Vertical dimension-cont'd
Head angulation and variations in the maxillomandibular relationship. Part I: the effects on the vertical dimension of occlusion (Araki and Araki). 1987;58:96-100
Use of anterior teeth measurements in determining occlusal vertical dimension (Fayz et al). 1987;58:317-22
Water sorption by denture acrylic resin and consequent changes in vertical dimension (Ristic and Carr). 1987;58:689-93
Vestibuloplasty
Changes in the buccolingual polished surfaces of the mandibular denture following anterior vestibuloplasty with free skin grafting and mylohyoid ridge resection (Watson). 1987;58:599-604
A radiographic analysis of a mandibular anterior vestibuloplasty with free skin graft (Watson). 1987;58:374-9
Veterans Administration Cooperative Studies
Veterans Administration Cooperative Dental Implant Study—comparisons between fixed partial dentures supported by bladevent implants and removable partial dentures. Part I: methodology and comparisons between treatment groups at baseline (Kapur). 1987;58:499-512
Veterans Administration Cooperative Studies Project No. 147. Part IV: biocompatibility of base metal alloys (Morris). 1987;58:1-5
Videoendoscopy
Nasal videoendoscopy in prosthetic management of palatopharyngeal dysfunction (Karnell et al). 1987;58:479-84

W

Warming device
Use of anesthetic warming device to maintain light-cured composite at mouth temperature (Baldauf). 1987;58:123 (Tips)
Water sorption
Water sorption by denture acrylic resin and consequent changes in vertical dimension (Ristic and Carr). 1987;58:689-93
Wax pattern distortion
Limiting wax pattern distortion caused by setting expansion (Davis). 1987;58:229-34

Z

Zinc phosphate cement
Recementation of dental castings with zinc phosphate cement: effect on cement bond strength (Felton et al). 1987;58:579-83